

## **COLORS**



GRIGIO 24"X48" 12"X48"



TERRA 24"X48" 12"X48"



MARRONE 24"X48" 12"X48"



BLANCO 24"X48" 12"X48"



SABBIA 24"X48" 12"X48"

Introducing Modcrete, an Italian-made rectified porcelain available at Facings of America. The concrete aesthetic and urban feel lend itself to both residential and commercial spaces. Modcrete is suitable for all interior surfaces, exterior walls, water features, and pool water lines.

ADDITIONAL SIZES
4"X12" RT NATURAL
4"X24" RT NATURAL
6"X24" RT NATURAL
24"X24" RT NATURAL
6"X12" RT TEXTURED
12"X12" RT TEXTURED
12"X24" RT TEXTURED
12"X12", 1"X1" MOSAIC

SPECIALTY
13"X48" STAIR TREAD RT NATURAL
13"X48" CORNER STAIR TREAD RT NATURAL
13"X13" CORNER STAIR TREAD RT NATURAL
24"X24" 20 MM PAVER ANTISLIP

APPLICATIONS
INTERIOR WALLS & FLOORS
EXTERIOR WALLS
EXTERIOR FLOORS (TEXTURED)

TRIM 3"X24" BULLNOSE RT NATURAL

 MODCRETE
 PRESSED CERAMIC TILE
 7.5% RECYCLED

 12X24 ONLY
 20% RECYCLED

			12A24 ONL1 20% RECTCLED
FLOOR TILES	CLASSIFICATION IN ACCORDANCE WITH ISO 13006 ANNEX G-EN 14411 ANNEXE G B Ia UGL		
PHYSICAL-CHEMICAL PROPERTIES	STANDARD OF TEST	VALUE	
FLATNESS	UNI EN ISO 10545/2	± .26% / ± 1.5 MM	
	ASTM C485 WARPAGE		
	CALIBRATED ± .75% (MAX ± .09 IN.)		
	RECTIFIED ± .40%	± .25%	
	MAX ± .05 IN. SIZE ≤ 60 CM	MAX ± .05 IN. SIZE ≤ 60 CM	
	MAX ± .07 IN. SIZE > 60 CM	MAX ± .07 IN. SIZE > 60 CM	
WATER ABSORPTION	UNI EN ISO 10545/3	COMPLIANT	
	≤ .5%		
	ASTM C373		
MODULUS OF RUPTURE	UNI EN ISO 10545/4	≥ 50N/MM²	
	UNI EN ISO 10545/4	≥ 2000 N	
BREAKING STRENGTH	ASTM C648	2 2000 N 700 LB	
	UNI EN ISO 10545/12	UNAFFECTED	
FROST RESISTANCE	ASTM C-1026		
OUENION DEGICTANCE TO LUCU AND	LINII ENLIGO AGEAEIAG	GA-GLA-GHA	
CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS			
	ASTM C-650	UNAFFECTED	
STAIN RESISTANCE	UNI EN ISO 10545/14	5	
	CTI 81-7D	NO EVIDENT VARIATION	
SLIP RESISTANCE	DIN51130	NAT. R10	ANTISLIP R11
	DIN 51097	B (A+B)	C (A+B+C)
	ANSI A 137.1-2012	DRY: .69	DRY: .88
	DCOF (SECTION 9.6)	WET: .61	WET: .90
	B.C.R.A.	≥ .40	≥ .40

PLEASE VIEW ACTUAL MATERIAL BEFORE MAKING YOUR SELECTION, AS PRINTED IMAGES ARE ONLY REPRESENTATIVE. SHADE VARIATION IS TO BE EXPECTED.

