

# CLAYMONT

GLAZED PORCELAIN

EST 1967  
FACINGS

OF AMERICA



# AN HOMAGE TO THE CRAFT OF CLAY

shown on front: **CLM10STAR** 6.5" Star Frosted Linen, **CLM60CROSS** 5" Cross Golden Sky, **CLM60 6x6** Golden Sky, **CLM10 2x6** Frosted Linen, **CLM40 2x6** Sahara Sand, **CLM70 2x6** Soft Sage & **CLM80 2x6** Saltwater

Rooted in tradition yet designed for contemporary spaces, Claymont reinterprets the enduring beauty of handmade terracotta with a fresh, modern sensibility. Its soft, matte finish mirrors the natural patina of hand-molded tiles. Subtle cement-plaster relief structures enhance its tactile depth, evoking the weathered beauty of artisan-crafted surfaces shaped by time and care.

Claymont's rich, powdery color palette is drawn from the earth itself, telling a story of nature's familiar tones reimagined for modern spaces. These hues echo the landscapes that have shaped architecture for centuries.

**Frosted Linen:** A soft, airy off-white with warm undertones, reminiscent of sun-bleached clay and woven natural fibers.

**Almond Mist:** A balanced blend of tan and grey, evoking the gentle warmth of weathered stone and raw earth.

**Silverstone:** A cool, muted grey that mirrors the subtle variations of natural minerals and aged plaster.

**Sahara Sand:** A true sand hue, warm and grounding, inspired by sunlit dunes and earthen pathways.

**Dusty Rose:** A warm tan infused with a soft, earthy blush, like terracotta softened by time and light.

**Golden Sky:** A rich, deep mustard yellow, echoing the golden hues of sunbaked clay and autumn fields.

**Soft Sage:** A delicate sage-blue, capturing the serenity of misty mornings and sun-faded botanical tones.

**Saltwater:** A rich oceanic blue, embodying the depth of coastal landscapes and the natural patina of aged ceramics.

**Midnight Slate:** A deep, cool-toned navy grey, reminiscent of stormy skies and river-worn stone.

**Burnt Umber:** A classic terracotta red, rich and earthy, inspired by the warmth of kiln-fired clay and aged brick.

Whether enhancing a cozy kitchen, a serene bath, or a modern gathering space, this collection invites warmth, character, and timeless appeal into every environment. It is an organic connection to the world beneath our feet, reimagined for contemporary living.

Claymont is available in a versatile matte finish and offered in pressed 2x6, 2.5x12, and 6x6, 6.5-inch star, 5-inch cross formats across all ten colors. Designed for both residential and commercial interiors, this durable porcelain tile is suitable for floors, walls, and backsplashes. Additionally, Claymont is GREENGUARD® certified, ensuring low chemical emissions and promoting healthier indoor air quality.

shown below: **CLM10 2x6** Frosted Linen, **CLM50 2x6** Dusty Rose & **CLM90 2x6** Midnight Slate



## COLORS



**CLM10**  
Frosted Linen



**CLM20**  
Almond Mist



**CLM30**  
Silverstone



**CLM40**  
Sahara Sand



**CLM50**  
Dusty Rose



**CLM60**  
Golden Sky



**CLM70**  
Soft Sage



**CLM80**  
Saltwater



**CLM90**  
Midnight Slate



**CLM100**  
Burnt Umber

## FIELD TILE FORMATS


2x6




2.5x12




6x6



5" Cross



6.5" Star



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

# FROSTED LINEN


---



**CLM10**  
Frosted Linen


## FIELD TILE FORMATS

---



## CROSS & STAR

---



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

**CLM10CROSS**  
5" Cross Frosted Linen

**CLM10STAR**  
6.5" Star Frosted Linen



# ALMOND MIST


---



**CLM20**  
Almond Mist


## FIELD TILE FORMATS

---



## CROSS & STAR

---



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

**CLM20CROSS**  
5" Cross Almond Mist

**CLM20STAR**  
6.5" Star Almond Mist



# SILVERSTONE


---



**CLM30**  
Silverstone

## FIELD TILE FORMATS

---



## CROSS & STAR

---



**CLM30CROSS**  
5" Cross Silverstone

**CLM30STAR**  
6.5" Star Silverstone

Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.



# SAHARA SAND


---



**CLM40**  
Sahara Sand

## FIELD TILE FORMATS

---



## CROSS & STAR

---



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

**CLM40CROSS**  
5" Cross Sahara Sand

**CLM40STAR**  
6.5" Star Sahara Sand



# DUSTY ROSE


---



**CLM50**  
Dusty Rose


## FIELD TILE FORMATS

---



## CROSS & STAR

---



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

**CLM50CROSS**  
5" Cross Dusty Rose

**CLM50STAR**  
6.5" Star Dusty Rose

below: **CLM50** 6.5" Star Dusty Rose & **CLM100** 5" Cross Burnt Umber



NEW YORK

ABRAMS IMAGE


CEREAL

# GOLDEN SKY




**CLM60**  
Golden Sky

## FIELD TILE FORMATS



## CROSS & STAR



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.


**CLM60CROSS**  
5" Cross Golden Sky

**CLM60STAR**  
6.5" Star Golden Sky

below: **CLM10** 6.5" Star Frosted Linen, **CLM10** 5" Cross Frosted Linen, **CLM10 2x6** Frosted Linen, **CLM20 2x6** Almond Mist, **CLM60 2x6** Golden Sky, **CLM70 2x6** Soft Sage & **CLM90 2x6** Midnight Slate




# SOFT SAGE




**CLM70**  
Soft Sage

## FIELD TILE FORMATS



## CROSS & STAR



**CLM70CROSS**  
5" Cross Soft Sage

**CLM70STAR**  
6.5" Star Soft Sage

Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.




# SALTWATER




**CLM80**  
Saltwater

## FIELD TILE FORMATS



## CROSS & STAR



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

**CLM80CROSS**  
5" Cross Saltwater

**CLM80STAR**  
6.5" Star Saltwater

below: **CLM80** 6.5" Star Saltwater, **CLM80** 5" Cross Saltwater, **CLM40** 6x6 Sahara Sand, **CLM60** 6x6 Golden Sky, **CLM70** 6x6 Soft Sage, **CLM80** 6x6 Saltwater, **CLM90** 6x6 Midnight Slate, **CLM100** 6x6 Burnt Umber & Comfort **B678.0064.047Z** 10x60 Greige




# MIDNIGHT SLATE




**CLM90**  
Midnight Slate

## FIELD TILE FORMATS



## CROSS & STAR



**CLM90CROSS**  
5" Cross Midnight Slate

**CLM90STAR**  
6.5" Star Midnight Slate

Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.



# BURNT UMBER


---



**CLM100**  
Burnt Umber


## FIELD TILE FORMATS

---



## CROSS & STAR

---



Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

**CLM100CROSS**  
5" Cross Burnt Umber

**CLM100STAR**  
6.5" Star Burnt Umber

below: **CLM100 2x6** Burnt Umber



# CLAYMONT

GLAZED PORCELAIN

Porcelain Technical Data Properties (Floor)	Results <sup>1</sup>
ANSI® A326.3 <sup>2</sup>	Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 250 lbf. avg.
Water Absorption	≤ 0.5% <sup>3</sup>
Intended Use <sup>4</sup>	Residential & Light Commercial

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> For more information, visit [floridatile.com/productuseclassifications](http://floridatile.com/productuseclassifications).

<sup>3</sup> Average production value.

## Typical Uses

Claymont glazed porcelain is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A 137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness	Edge
2x6	5x15	12	8mm	Pressed
2.5x12	6x30	5	8mm	Pressed
6x6	15x15	4	8mm	Pressed
5" CROSS <sup>3</sup>	13x13	6.4	8mm	Pressed
6.5" STAR <sup>3</sup>	16x16	6.4	8mm	Pressed

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> These values are based on actual sizes including the grout joint.

<sup>3</sup> Cross and Star shapes are sold separately. They are designed to be installed together to achieve the intended pattern.

## Notes

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

## Color Variation



V3 Moderate Variation

— EST 1967 —

# FACINGS

OF AMERICA

**TECHNICAL SHEET**

<b>Product Name</b>	<b>CLAYMONT</b>
---------------------	-----------------

**PRODUCT GROUP**

<input checked="" type="checkbox"/> <b>Field Tile</b>	Glazed Porcelain	<b>Finish</b>	<input checked="" type="checkbox"/> Matte	<input type="checkbox"/> Polished	<input type="checkbox"/> Unglazed
		<b>Edge</b>	<input type="checkbox"/> Pressed	<input type="checkbox"/> Rectified	

<input type="checkbox"/> <b>Wall Tile</b>	N/A	<b>Finish</b>	<input checked="" type="checkbox"/> Matte	<input type="checkbox"/> Glossy	<input type="checkbox"/> Silk
		<b>Edge</b>	<input checked="" type="checkbox"/> Pressed	<input type="checkbox"/> Rectified	

<input type="checkbox"/> Made in the USA		<input checked="" type="checkbox"/> Certified Porcelain		<input checked="" type="checkbox"/> Greenguard Gold Certification	
<input checked="" type="checkbox"/> Recycled Content		<input type="checkbox"/> Microban®		<input type="checkbox"/> Environmental Product Declaration	
<input type="checkbox"/> Greensquared Certification		<input type="checkbox"/> Declare®		<input type="checkbox"/> Health Product Declaration	

**TECHNICAL DATA**

Technical Characteristics	Test Method (ASTM)	ANSI A137.1		Series Average Values
Water Absorption	C373	Porcelain	≤ 0.5 %	Conforms
		Ceramic	7.0% < Value ≤ 20.0%	N/A
Breaking Strength	C648	Porcelain	≥ 250 lbf	≥ 350 lbf
		Ceramic	≥ 125 lbf	N/A
		2cm Porcelain A137.3	≥ 2500 lbf	N/A
Linear Thermal Expansion	C372	Not Required		Conforms
Thermal Shock Resistance	C484	No sample must show visible signs		Conforms
Chemical Resistance	C650	Not Required		As Reported
Stain Resistance	C1378	Not Required		As Reported
Freeze/Thaw Resistance	C1026	Porcelain Only		N/A
Bond Strength	C482	≥ 50 PSI (0.34 MPa)		Conforms
Shade Variation	ANSI 137.1	Manufacturer Statement		V3 Moderate Variation
Thickness	C499	Max Range 0.040" (1.02 mm)		max ± 0.030 inch
Surface Hardness	Mohs Scale	Porcelain	As Reported	7 Mohs
		Ceramic	As Reported	N/A
Warpage Edge	C485	Porcelain		Conforms
		Ceramic		N/A
Warpage Diagonal	C485	Porcelain		Conforms
		Ceramic		N/A
Dynamic Coefficient of Friction (DCOF)	A326.3	Porcelain	A326.3	<input checked="" type="checkbox"/> Matte: Interior, Wet Plus (IW+)
				<input type="checkbox"/> Polished: N/A
				<input type="checkbox"/> 2cm Pavers: N/A

**Notes:**

All or most items in this collection comply with these specifications. Color, texture, and finish variations may occur due to the nature of the product. Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics. Safety Data Sheet available upon request. For General Tile Installation, Care and Maintenance, and Warranty information contact your Facings of America Design Consultant.