

CONTINENTAL



— EST 1967 —


FACINGS

OF AMERICA

Continental Subway

3" x 6"

8 pcs. = 1 sq.ft. / 120 pcs. = 15 sq.ft. per box



COS-1
Glossy White



COS-2
Matte White



COS-3
Charcoal



COS-4
Taupe



COS-5
Dolphin Grey



COS-6
Steel Grey

Note Wide shade variation inherent in this series.
This series is not a mesh mounted product.
Recommended grout joint 1/8" or greater.






COS-7
Milky White



COS-8
Cosmic Blue



COS-9
Royal Blue




COS-10
Pacific Blue


Available Trims



Jolly Piece 9/16" x 6"



Jolly Piece 1/2" x 6"



Note Wide shade variation inherent in this series.
This series is not a mesh mounted product.
Recommended grout joint 1/8" or greater.
Please note the Jolly pieces are coordinating trim that are fired at different times than the field tile.
In this regard, there can be wide shade variations between the field and trim pieces.





CONTINENTAL SUBWAY



— EST 1967 —


FACINGS

—
OF AMERICA

Continental Subway

3" x 6"

8 pcs. = 1 sq.ft. / 120 pcs. = 15 sq.ft. per box



COS-1
Glossy White



COS-2
Matte White



COS-3
Charcoal



COS-4
Taupe



COS-5
Dolphin Grey



COS-6
Steel Grey

Note Wide shade variation inherent in this series.
This series is not a mesh mounted product.
Recommended grout joint 1/8" or greater.






COS-7
Milky White



COS-8
Cosmic Blue



COS-9
Royal Blue




COS-10
Pacific Blue


Available Trims



Jolly Piece 9/16" x 6"



Jolly Piece 1/2" x 6"



Note Wide shade variation inherent in this series.
 This series is not a mesh mounted product.
 Recommended grout joint 1/8" or greater.
 Please note the Jolly pieces are coordinating trim that are fired at different times than the field tile.
 In this regard, there can be wide shade variations between the field and trim pieces.





CONTINENTAL SUBWAY 3"x6"



A traditional shape with modern sensibility in cool greys, creamy neutrals and rich jeweled blues, Continental Subway is the perfect touch of class you've been looking for. Loose pieces offer endless freedom, letting you design exactly the configuration your space deserves. Coordinating Trim: Jolly Piece 9/16" x 6" Bead | Jolly Piece 1/2" x 6" Surface Bullnose.

Please note the Jolly pieces are coordinating trims that are fired at different times than the field tile. In this regard, there can be wide shade variations between the field and trim pieces.

RECOMMENDED AREAS OF USE

With regard to the durability of the bisque and glaze, this material is suitable for:

- All countertop applications - residential and commercial
- Fireplace surround, hearth and firebox
- Light commercial flooring applications and all residential flooring applications
- All interior wall applications - residential and commercial
- All exterior wall applications - residential and commercial including building facades, swimming pools, fountains, outdoor kitchens and regions that experience extreme weather conditions, subject to the method of installation

INSTALLATION METHOD

- Please refer to the TCNA handbook for installation method: <http://www.tcnatile.com/>
- Always inspect material prior to installation, for color, shade, size, mounting and any other deciding factors as installed material cannot be accepted for return or credit. Use signifies acceptance.
- Recommended Grout Joint: Minimum 1/8"
- Material can be cleaned with any mild nonabrasive household cleaning product due to the chemical resistant nature of the glaze.

TECHNICAL DATA


- Japanese Porcelain - fired at approx. 2300° Fahrenheit
- Chemical Resistant
- VOC Free
- Frost Proof - *subject to method of installation*
- Water absorbency
 - Bisque less than 1%
 - Glazed surface 0%
- TCNA- MOH's Scale Rating 7
- TCNA - DCOF Average Ratings:
 - COS-2: 0.28
 - COS-1, 3, 4, 5, 6, 7, 8, 9, 10: 0.19
- Loose pieces: 8 pcs. = 1 sq. ft. / 120 pcs. = 15 sq. ft. per box
- Weight: 3.25 lbs. per 8 pcs. / 50 lbs. per box
- Thickness: 5/16"
- Pre-consumer recycled content - 52%

Variations of shade are inherent characteristics of all kiln fired products. To ensure satisfaction, please visually inspect all merchandise prior to installation, as use signifies acceptance.

We will endeavor to resolve any issues that may arise with material purchased prior to installation.

CONTINENTAL BORDER $\frac{1}{2}'' \times 4''$

Your favorite Continental Subway shades are now available in a $\frac{1}{2}'' \times 4''$ border. See our Continental Penny series for even more options. Mix and match to unlock endless design possibilities!



RECOMMENDED AREAS OF USE

With regard to the durability of the bisque and glaze, this material is suitable for:

- All countertop applications - residential and commercial
- Fireplace surround, hearth and firebox
- Light commercial flooring applications and all residential flooring applications
- All interior wall applications - residential and commercial
- All exterior wall applications - residential and commercial including building facades, swimming pools, fountains, outdoor kitchens and regions that experience extreme weather conditions, subject to the method of installation

INSTALLATION METHOD

- Please refer to the TCNA handbook for installation method: <http://www.tcnatile.com/>
- Always inspect material prior to installation, for color, shade, size, mounting and any other deciding factors as installed material cannot be accepted for return or credit. Use signifies acceptance.
- Please note that mesh mounted goods should never be placed directly on the wet saw for cutting. If cuts are required, pieces should be removed from the mesh and cut individually to avoid the glue releasing from the mesh.
- Material can be cleaned with any mild nonabrasive household cleaning product due to the chemical resistant nature of the glaze.

TECHNICAL DATA

- Japanese Porcelain – fired at approx. 2300° Fahrenheit
- Chemical Resistant
- VOC Free
- Frost Proof – *subject to method of installation*
- Water absorbency
 - Bisque less than 1%
 - Glazed surface 0%
- TCNA – MOH's Scale Rating 7
- TCNA – DCOF Average Ratings: Does not meet 0.42
- Mesh mounted: 1 sheet = 0.97 sq. ft. / 19.4 sq. ft. per box
- Sheet size: nominal 12" x 12"
- Weight: 2.6 lbs. per sheet / 52 lbs. per box
- Thickness: 3/4"
- Pre-consumer recycled content – TBD


Variations of shade are inherent characteristics of all kiln fired products. To ensure satisfaction, please visually inspect all merchandise prior to installation, as use signifies acceptance.

We will endeavor to resolve any issues that may arise with material purchased prior to installation.

CONTINENTAL PENNY

3/4" PENNY ROUND

Your favorite Continental Subway shades are now available in a timeless 3/4" penny round. See our Continental Border series for even more options. Mix and match to unlock endless design possibilities!



RECOMMENDED AREAS OF USE

With regard to the durability of the bisque and glaze, this material is suitable for:

- All countertop applications - residential and commercial
- Fireplace surround, hearth and firebox
- Light commercial flooring applications and all residential flooring applications
- All interior wall applications - residential and commercial
- All exterior wall applications - residential and commercial including building facades, swimming pools, fountains, outdoor kitchens and regions that experience extreme weather conditions, subject to the method of installation

INSTALLATION METHOD

- Please refer to the TCNA handbook for installation method: <http://www.tcnatile.com/>
- Always inspect material prior to installation, for color, shade, size, mounting and any other deciding factors as installed material cannot be accepted for return or credit. Use signifies acceptance.
- Please note that mesh mounted goods should never be placed directly on the wet saw for cutting. If cuts are required, pieces should be removed from the mesh and cut individually to avoid the glue releasing from the mesh.
- Material can be cleaned with any mild nonabrasive household cleaning product due to the chemical resistant nature of the glaze.

TECHNICAL DATA

- Japanese Porcelain – fired at approx. 2300° Fahrenheit
- Chemical Resistant
- VOC Free
- Frost Proof – *subject to method of installation*
- Water absorbency
 - Bisque less than 1%
 - Glazed surface 0%
- TCNA – MOH's Scale Rating 7
- TCNA – DCOF Average Ratings: Does not meet 0.42
- Mesh mounted: 1 sheet = 1 sq. ft. / 30 sq. ft. per box
- Sheet size: nominal 12" x 12"
- Weight: 1.6 lbs. per sheet / 49 lbs. per box
- Thickness: 3/16"
- Pre-consumer recycled content – TBD

Variations of shade are inherent characteristics of all kiln fired products. To ensure satisfaction, please visually inspect all merchandise prior to installation, as use signifies acceptance.

We will endeavor to resolve any issues that may arise with material purchased prior to installation.