




FLOOR

— EST 1967 —

FACINGS

OF AMERICA



FLOOR

STEP INTO A WORLD OF ENDLESS POSSIBILITIES WITH OUR FLOOR COLLECTION.



GLAZED PORCELAIN TILES

Walk this way. Our gorgeous porcelain floor tiles offer you a world of choices. Whether you prefer the captivating allure of hexagon, the timeless elegance of rectangle and square, or the charming appeal of the picket, this collection caters to your individual taste. The thoughtfully designed semi-matte finish ensures a delightful tactile experience with every step.

FLOOR Glazed Porcelain Tiles




Find out the product code simply by putting together the color and the item

Example: **ADFW 500**

SQUARE SEMI-MATTE FINISH



ADFW 500 7.4"x7.4"
Square White



ADFB 500 7.4"x7.4"
Square Bone



ADFL 500 7.4"x7.4"
Square Light Gray



ADFD 500 7.4"x7.4"
Square Dark Gray



ADFA 500 7.4"x7.4"
Square Azure




ADFK 500 7.4"x7.4"
Square Black


SQUARE AZURE **ADFA** | PICKET LIGHT GRAY **ADFL**



PICKET SEMI-MATTE FINISH



ADFW 700 1.5"x9"
Picket White



ADFB 700 1.5"x9"
Picket Bone



ADFL 700 1.5"x9"
Picket Light Gray



ADFD 700 1.5"x9"
Picket Dark Gray



ADFM 700 1.5"x9"
Picket Wood



ADFA 700 1.5"x9"
Picket Azure



ADFK 700 1.5"x9"
Picket Black

PICKET WOOD **ADFM**




FLOOR Glazed Porcelain Tiles




Find out the product code simply by putting together the color and the item

Example: **ADFW 300**


HEX SEMI-MATTE FINISH




ADFW 300 8"x9"
Hex White




ADFB 300 8"x9"
Hex Bone




ADFL 300 8"x9"
Hex Light Gray



ADFD 300 8"x9"
Hex Dark Gray




ADFA 300 8"x9"
Hex Azure



ADFK 300 8"x9"
Hex Black

HEX DECO SEMI-MATTE FINISH



ADFB 301 8"x9"
Hex Deco Bone




ADFL 301 8"x9"
Hex Deco Light Gray



ADFD 301 8"x9"
Hex Deco Dark Gray



ADFA 301 8"x9"
Hex Deco Azure



ADFK 301 8"x9"
Hex Deco Black


HEX WHITE **ADFW** | HEX DECO BLACK **ADFK**




FLOOR Glazed Porcelain Tiles



HEX SEMI-MATTE FINISH




ADFAI 600 5.5"x6.3"
Hex Aire



ADFSO 600 5.5"x6.3"
Hex Solano




ADFTE 600 5.5"x6.3"
Hex Terral



ADFMO 600 5.5"x6.3"
Hex Monzon



ADFBR 600 5.5"x6.3"
Hex Brisa



ADFLE 600 5.5"x6.3"
Hex Leaf




ADFPO 600 5.5"x6.3"
Hex Poniente




ADFSI 600 5.5"x6.3"
Hex Sirocco

RECTANGLE SEMI-MATTE FINISH




ADFAI 400 3.6"x14.5"
Rectangle Aire




ADFSO 400 3.6"x14.5"
Rectangle Solano




ADFTE 400 3.6"x14.5"
Rectangle Terral



ADFMO 400 3.6"x14.5"
Rectangle Monzon




ADFBR 400 3.6"x14.5"
Rectangle Brisa



ADFLE 400 3.6"x14.5"
Rectangle Leaf



ADFPO 400 3.6"x14.5"
Rectangle Poniente



ADFSI 400 3.6"x14.5"
Rectangle Sirocco

RECTANGLE MONZON **ADFMO**




RECTANGLE AIRE **ADFAI**



HEX SOLANO **ADFSO**





TECHNICAL GUIDE



FIELD TILES	
SIZE	THICKNESS*
GLAZED PORCELAİN TILES	
Hex 5.5"x6.3"	0.335" (8.5mm)
Rectangle 3.6"x14.5"	0.335" (8.5mm)

APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	YES	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces (Non Freeze-Thaw Climates)	YES	YES
Pool Waterlines / Water Fountains	NO	NO
Floors	YES	NO
Steam Showers	YES	YES

PERFORMANCE CHARACTERISTICS		
	TEST METHOD ASTM / ISO	RESULT
Target DCOF >0.42 Wet	ANSI A137.1	>0.42
PEI Rating	Aire	4
	Solano, Terral, Monzon, Brisa, Leaf, Poniente	3
	Sirocco	2
Water Absorption	C-373 / 10545-3	Pass
Breaking Strength	C-648 / 10545-4	Pass
Stain Resistance	C-1378 / 10545-14	Resistant
Chemical Resistance	C-650 / 10545-13	Resistant
Facial dimensions	C-499 / 10545-2	Pass
Range of Thickness	C-499 / 10545-2	Pass
Warpage	C-485 / 10545-2	Resistant
Freeze-Thaw Resistance	C-1026 / 10545-12	Resistant

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
Minimum of 5/64"	V2 - Slight Variation

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid
Surface Sheen	Semi-Matte
Texture	Smooth

*Thickness is understood as the highest point of the tile.
Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.



FIELD TILES	
SIZE	THICKNESS*
GLAZED PORCELAIN TILES	
Square 7.4"x7.4"	0.236" (6mm)
Picket 1.5"x9"	0.236" (6mm)
Hex 8"x9"	0.275" (7mm)
Hex Deco 8"x9"	0.275" (7mm)

APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	YES	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces (Non Freeze-Thaw Climates)	YES	YES
Pool Waterlines / Water Fountains	NO	NO
Floors	YES	NO

PERFORMANCE CHARACTERISTICS			
	TEST METHOD ASTM / ISO	RESULT	
Target DCOF >.42Wet	ANSI A137-2012	>0.50	
PEI Rating	ANSI A1371-2008 UNE EN ISO 10545-7	White	4
		Bone	3
		Light Gray	3
		Dark Gray	3
		Azure	3
		Black	2
		Wood	3
		Deco	3
Water Absorption	C-373 / 10545-3	Pass	
Breaking Strength	C-648 / 10545-4	Pass	
Stain Resistance	C-1378 / 10545-14	Resistant	
Chemical Resistance	C-650 / 10545-13	Resistant	
Facial dimensions	C-499 / 10545-2	Pass	
Range of Thickness	C-499 / 10545-2	Pass	
Warpage	C-485 / 10545-2	Pass	
Freeze-Thaw Resistance	C-1026 / 10545-12	Resistant	

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
Minimum of 5/64"	V1 - Uniform Appearance

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid
Surface Sheen	Semi-Matte
Texture	Smooth

*Thickness is understood as the highest point of the tile.
Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.