





OF AMERICA

Floor: Lively 8"x40" Wall: Lively 8"x40"

行行其中

STATE

()

E

# SMOOTH LINES MODERN ATTITUDE

Modern design finds its perfect correspondence with the soft lines and immersive shades of the Style collection.

A palette of colors in tune with the contemporary design and architectural trends represents the best choice for the most innovative interior design projects.




OF AMERICA

# RANGE. COLORS SIZES & FINISHES.


#### COLOR-BODY PORCELAIN TILES - RECTIFIED MATTE FINISH

The neutral and soft colors of Style's collection express the accuracy of refined minimalism trhough a complete range of sizes and trims, enriched by the presence of a 2"x2" mosaic.






#### DECORS



2"x2" mosaic on 12"x12" sheet randomly mixed



1.4"x2.4" style elegant basket mosaic on 12"x12" sheet randomly mixed

#### Pure



### Lively



### Elegant



### Rich






Floor: Rich 8"x40" Wall: Pure mosaic 2"x2"

## **RICH** UNLEASH YOUR DESIGN CREATIVIT

-

24



Floor: Rich 8"x40"



Wall: Pure mosaic 2"x2"

RICH

Floor: Lively 12"x24" Wall: Join Dusk Spice 48"x109" Counter: Rich 8"x40" 8. A

¥

### 


0

BAIKIE

OUR RECEIPE, YOUR FAVOURITE FLAVOUR



Floor: Lively 12"x24"



Floor: Lively 12"x24" Wall: Join Dusk Spice 48"x109" Counter: Rich 8"x40"

LIVELY

Floor: Pure 12"x24" Wall: Lively 6"x24" Shower Floor: Pure mosaic 2"x2" Shower Wall: Pure 12"x24", Lively 12"x24", Pure mosaic 2"x2"





Floor: Pure 12"x24" Wall: Lively 6"x24"




Floor: Pure mosaic 2"x2" Wall: Pure 12"x24", Lively 12"x24", Pure mosaic 2"x2"


PURE







Floor: Pure 8"x40"



Wall: Basket mosaic elegant 12"x12"

### ELEGANT

# RANGE



# PURE

V2 Rectified, squared, one caliber.







#### DECORS




2"x2" mosaic on 12"x12" sheet randomly mixed



1.4"x2.4" style elegant basket mosaic on 12"x12" sheet randomly mixed



3"x24" Bullnose



6"x12" Covebase

# LIVELY

V2 Rectified, squared, one caliber.





12"x24"

6"x24"

#### DECORS



2"x2" mosaic on 12"x12" sheet randomly mixed




L.4"x2.4" style elegant basket mosaic on 12"x12" sheet randomly mixed







3"x24" Bullnose



6"x12" Covebase

# ELEGANT

V2 Rectified, squared, one caliber.







#### DECORS



2"x2" mosaic on 12"x12" sheet randomly mixed



1.4"x2.4" style elegant basket mosaic on 12"x12" sheet randomly mixed



3"x24" Bullnose



6"x12" Covebase

# RICH

V2 Rectified, squared, one caliber.





12"x24"

6"x24"

#### DECORS



2"x2" mosaic on 12"x12" sheet randomly mixed



1.4"x2.4" style elegant basket mosaic on 12"x12" sheet randomly mixed





3"x24" Bullnose



6"x12" Covebase

# DECORS

### PURE



2"x2" mosaic on 12"x12" sheet



2"x2" mosaic on 12"x12" sheet

### LIVELY ELEGANT RICH



2"x2" mosaic on 12"x12" sheet




2"x2" mosaic on 12"x12" sheet




1.4"x2.4" style elegant basket mosaic on 12"x12" sheet



1.4"x2.4" style elegant basket mosaic on 12"x12" sheet




1.4"x2.4" style elegant basket mosaic on 12"x12" sheet




1.4"x2.4" style elegant basket mosaic on 12"x12" sheet




# RANGE







Rectified, squared, one caliber.







2"x2" mosaic 12"x12" on sheet randomly mixed



1.4"x2.4" style elegant basket mosaic on 12"x12" sheet randomly mixed

### PACKAGING Size Box


InchesCmPcsSurface (sqf)Surface (sqm)

Pallet Weigth (kg) Weigth (lbs) Weigth (kg) Boxes Surface (sqf) Surface (sqm) Weigth (lbs) 12 92 8"x 40' 20x100 6 12 ~56.88 36 465 12 ~2 047 63 -928.8 -25.8 43.20 7 50.40 ~1008 12"x 24' 30x60 13.56 1.26 ~55.56 40 542.51 ~2222.24 43.20 ~1904.77 ~864 6"x 24' ~47.62 465.20 12 40 ~18 32.40 -648 2"x 2" Mosaic 0.9 348.75 ~1428.58 10 sheets 9.69 36 1.4"x 2.4" style elegant basket mosaic ~9 27.00 ~540 30x30 5 sheets 4 84 0.45 ~19 84 60 290.40 ~1190.40

We recommend you a 2/3 mm grout joint to simplify the laying and optimize the naturalness of the final result. In order to favour the ordinary maintenance procedures, it is recommended to carry out an acid wash of the surface after 48 hours from grout filling using an acid agent specific for porcelain stoneware tiles.

Manufacturer reserves the right to change the products presented in this catalogue at any time. Tones of

samples are indicative



#### V3

Moderate Variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the product of colors and/or touture on amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.



Uniform Appearance. Differences among pieces from the same production run are minimal.

Substantial Variation. Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection. V4 



Slight Variation. Clearly distinguishable texture and/or pattern within similar colors.



# SUSTAINABLE MIND

# MAXIMUM CONCERN FOR THE ENVIRONMENT

## FROM OUR PLANT...

brand new production facilities



The in the USA are built in compliance with the most stringent standards in term of environmental protection, safety of workers and reduction of energy consumption.




### TO YOUR PROJECT.

By choosing this product, the end user will be sure to purchase **durable**, **safe and green floor and wall tiles:** being extremely durable, they do not call for any chemical treatment, varnish or special detergent. They do not release dust or other substances, even when subject to high pedestrian traffic.

### **TILE PERFORMANCE DATA** COLOR-BODY PORCELAIN TILES - RECTIFIED

Classification in accordance with ANSI A137.1: 2012 (P1 class).



-0-	Facial dimension	ASTM C-499	± 0,25% or ± 0,03 in		
<b>.</b>	Wedging	ASTM C-502	± 0,25% or ± 0,03 in		
Was and the second	Warpage diagonal	ASTM C-485	± 0,4% or ± 0,07 in	In accordance to ANSI A 137.1-2012	
¥¥	Warpage edge	ASTM C-485	± 0,4% or ± 0,05 in		
+	Thickness	ASTM C-499	RANGE: 0,040 inch max (1 mm)	In accordance to ANSI A 137.1-2012	
	Water absorption	ASTM C-373	≤ 0,5%	Passed "impervious tiles" Class P1	
	Breaking strength	ASTM C-648	≥ 250 lbs (≥1113 N)	≥400 lbs	
	Freeze thaw	ASTM C-1026	No damages	In accordance	
	Chemical resistance	ASTM C-650	As reported	Unaffected	
	MOHS hardness			6	
	Dynamic Coefficient of Friction		0,42	In accordance	

Average values referred to the last two years of production and related to the matte finish of the product. Values relate to the matte finish of the product and to tests carried out by certified external laboratories, whose results are available upon request. Be sure to use the same caliber tiles. Color reproductions may vary from actual products. \* Due to the intrinsic nature of porcelain stoneware tiles, please note that the coefficient of friction may vary within the same production lot or from one production lot to the other. Facings products can become slippery when wet. We recommend to always keep the surface dry.

#### ACTUAL SIZES FOR RECTIFIED MATERIAL

NOMINAL SIZE		ACTUAL SIZE	
INCHES	MM	INCHES	MM
24"x48"	610x1220	23 <sup>15/32</sup> 'x47 <sup>3/64</sup> "	596x119
24"x24"	610x610	2315/32'x2315/32'	5
12"x24"	305x610	11 <sup>1/18</sup> x23 <sup>15/32</sup> "	596x596
6"x24"	152x610	545/64'x23 15/32	297x596
8"x40"	203x1016	723/32'x39 11/64	145x596
			196×995

#### **ACTUAL SIZES FOR RECTIFIED MATERIAL - 3/4" THICKNESS**

NOMINAL SI	ZE	ACTUAL SIZE	
INCHES	MM	INCHES	MM
24"x24"	610x610	23 <sup>35/64</sup> "x23 <sup>35/64</sup> "	598x598

#### ACTUAL SIZES FOR NON-RECTIFIED MATERIAL

NOMINAL SI INCHES	ZE MM		CTUAL SIZE	MM			
12"x24" 305x610	1113/16"x2347/64"	8"x40"	203x1016	300x603			
77/8"x393/8"	200x1000						
*For more detailed information about the different actual sizes for non-rectified material, please contact manufacturer.							





OF AMERICA