


# FORTE ZELLIGE




— EST 1967 —

# FACINGS

OF AMERICA

# FORTE ZELLIGE

Beautiful, versatile, and durable, Forté Zellige tiles bring a distinctive Moroccan flair to any space while remaining easy to maintain. Their celebrated imperfections—pits, cracks, and irregular edges—enhance their artisanal appeal, while fully customizable mosaics, available in any combination of our 20 vibrant glaze colors, allow for truly personalized, one-of-a-kind designs.



# FORTE ZELLIGE

## GLAZED COLORS




MARTINI




CHAMPAGNE



BELLINI



BOMBAY



BLUE CURACAO



GREYHOUND



GIMLET



ROSE



PALOMA



MERLOT




MOSCOW



OLD FASHIONED (UNGLAZED)




AMARETTO



DARK & STORMY



MIMOSA




VERMOUTH



MINT JULEP




BAY BREEZE



MOJITO



GINN FIZZ



IRISH WHISKEY

# FORTE ZELLIGE

FIELD SHAPES (SHOWN IN CHAMPAGNE)

\*AVAILABLE IN ALL COLORS AND FINISHES



2"x2" MOSAIC SHEET



2"x6" BRICK



4"x4" SQUARE

DECO (SHOWN IN VERMOUTH)

\*AVAILABLE IN ANY COMBINATION OF OUR 20 BEAUTIFUL GLAZED COLORS




UMBRELLA




# FORTE ZELLIGE

## MOSAICS


\*AVAILABLE IN ANY COMBINATION OF OUR 20 BEAUTIFUL GLAZED COLOR.




ANOTHER ROUND




THE BARTENDER




CROSS




HEX




HIGHBALL




THE JIGGER



LAST CALL




MAKE IT A DOUBLE




THE MUDDLER

# FORTE ZELLIGE


## MOSAICS (CONTINUED)




NIGHT CAP




ON TAP




ON THE ROCKS



STIR STICK



STRAIGHT UP



TOP SHELF

\*Authentic Moroccan tiles are 100% hand-crafted and will vary in color, shade and size. pits, cracks and chips are to be expected. We recommend ordering 10-15% overage for cuts, shipping breakage, etc. if you prefer a less authentic look, without the imperfections inherent to Zellige, please order 20-30% overage in order to sort the tile.

# FORTE ZELLIGE

## How to install Zellige Tile

Zellige tiles are a beautiful and versatile option for any tile project. However, they can be a bit tricky to install. Here are a few tips to help you get the job done right:

1. Upon receipt of your shipment, inspect the tiles but keep in mind that variations in glaze consistency and color are common in Zellige due to the ancient methods used in production. The expected color range should be based on a sampling of at least three tiles to accurately represent the color range expected in a shipment. Crazeing, pitting, and chipping are to be expected in Zellige - crazeing refers to the hairline cracks which can be present on the glazed face of these tiles after firing. Zellige is also hand-chiseled, meaning there will be variations in width, length and thickness from tile to tile.
2. Plan your layout. Before you start installing the tiles, take some time to plan out your layout. This will help you avoid any mistakes and ensure that the tiles look their best. DO NOT install Zellige from unblended boxes.
3. Zellige should be soaked in water for 1-2 minutes prior to installation.
4. Prepare the surface. The surface you're installing the tiles on needs to be clean, dry, and free of any imperfections. If the surface is not level, you'll need to use a leveling compound to create a smooth surface.
5. Apply the adhesive. Use a trowel to apply a thin layer of adhesive to the sub-surface and a second layer to the back of each tile. Be sure to apply the adhesive evenly so that the tiles are level.
6. Install the tiles. Press the tiles firmly into place, starting in one corner and working your way across the surface. You may want to use wedge spacers to ensure that the tiles are evenly spaced and have a level surface.
7. If you are using our Unglazed Old Fashion tile, you must use a penetrating sealer prior to grout and again after grout due to the porous nature of unglazed terracotta.
8. Grout the tiles. Once the tiles are in place and adhesive is dry, use a grout float to apply grout to the spaces between the tiles. Be sure to wipe away any excess grout with a damp sponge.
9. Seal grout and tile with a penetrating sealer. This will help to protect the grout from stains and water damage.

As always, we recommend consulting with a tile professional for the best outcome with your Zellige tile installation.