

# JEM



EST 1967

## FACINGS

OF AMERICA



JEM **composes a new symphony** for the marble effect.

Designed to enhance environments with the refined essence of the most noble marble, this collection inspires elegant and sophisticated atmospheres.

Comprised of 6 beautiful types of marble, JEM also features two large format sizes: 48"x48" and 48"x110", with the latter offering a stunning bookmatch option.

# JEM

JOYFUL, EVASIVE MOTION







## 6 COLORS

Adagio White  
Forte White  
Capriccio Grey  
Aria Gold  
Crescendo Blue  
Symphony Red

## 2 FINISHES

Rectified Matte  
Rectified Polished

## 6 SIZES

3"x12"

12"x24"

24"x48"

48"x48"


48"x110"

32"x96"

# JEM



adagio  
white



**1103587**  
RECTIFIED POLISHED 3"x12"

**1103461**  
RECTIFIED MATTE 12"x24"  
**1103467**  
RECTIFIED POLISHED 12"x24"  
**1103420**  
RECTIFIED MATTE 24"x48"  
**1103427**  
RECTIFIED POLISHED 24"x48"  
**1105161**  
RECTIFIED MATTE 48"x48"  
**1105167**  
RECTIFIED POLISHED 48"x48"

**1103474**  
MATTE MOSAIC HEX 2"  
**1103480**  
POLISHED MOSAIC HEX 2"  
**1103486**  
MATTE MOSAIC 12"x12"  
**1103492**  
POLISHED MOSAIC 12"x12"  
**1103498**  
MATTE BULLNOSE 3"x12"  
**1103504**  
POLISHED BULLNOSE 3"x12"

forte  
white




**1103590**  
RECTIFIED POLISHED 3"x12"

**1103464**  
RECTIFIED MATTE 12"x24"  
**1103470**  
RECTIFIED POLISHED 12"x24"  
**1103423**  
RECTIFIED MATTE 24"x48"  
**1103430**  
RECTIFIED POLISHED 24"x48"  
**1105164**  
RECTIFIED MATTE 48"x48"  
**1105170**  
RECTIFIED POLISHED 48"x48"

**1103477**  
MATTE MOSAIC HEX 2"  
**1103483**  
POLISHED MOSAIC HEX 2"  
**1103489**  
MATTE MOSAIC 12"x12"  
**1103495**  
POLISHED MOSAIC 12"x12"  
**1103501**  
MATTE BULLNOSE 3"x12"  
**1103507**  
POLISHED BULLNOSE 3"x12"

capriccio  
grey



**1103586**  
RECTIFIED POLISHED 3"x12"

**1103460**  
RECTIFIED MATTE 12"x24"  
**1103466**  
RECTIFIED POLISHED 12"x24"  
**1103419**  
RECTIFIED MATTE 24"x48"  
**1103426**  
RECTIFIED POLISHED 24"x48"  
**1105160**  
RECTIFIED MATTE 48"x48"  
**1105166**  
RECTIFIED POLISHED 48"x48"

**1103473**  
MATTE MOSAIC HEX 2"  
**1103479**  
POLISHED MOSAIC HEX 2"  
**1103485**  
MATTE MOSAIC 12"x12"  
**1103491**  
POLISHED MOSAIC 12"x12"  
**1103497**  
MATTE BULLNOSE 3"x12"  
**1103503**  
POLISHED BULLNOSE 3"x12"

aria  
gold



**1103588**  
RECTIFIED POLISHED 3"x12"

**1103462**  
RECTIFIED MATTE 12"x24"  
**1103468**  
RECTIFIED POLISHED 12"x24"  
**1103421**  
RECTIFIED MATTE 24"x48"  
**1103428**  
RECTIFIED POLISHED 24"x48"  
**1105162**  
RECTIFIED MATTE 48"x48"  
**1105168**  
RECTIFIED POLISHED 48"x48"

**1103475**  
MATTE MOSAIC HEX 2"  
**1103481**  
POLISHED MOSAIC HEX 2"  
**1103487**  
MATTE MOSAIC 12"x12"  
**1103493**  
POLISHED MOSAIC 12"x12"  
**1103499**  
MATTE BULLNOSE 3"x12"  
**1103505**  
POLISHED BULLNOSE 3"x12"

crescendo  
blue



**1103589**  
RECTIFIED POLISHED 3"x12"

**1103463**  
RECTIFIED MATTE 12"x24"  
**1103469**  
RECTIFIED POLISHED 12"x24"  
**1103422**  
RECTIFIED MATTE 24"x48"  
**1103429**  
RECTIFIED POLISHED 24"x48"  
**1105163**  
RECTIFIED MATTE 48"x48"  
**1105169**  
RECTIFIED POLISHED 48"x48"

**1103476**  
MATTE MOSAIC HEX 2"  
**1103482**  
POLISHED MOSAIC HEX 2"  
**1103488**  
MATTE MOSAIC 12"x12"  
**1103494**  
POLISHED MOSAIC 12"x12"  
**1103500**  
MATTE BULLNOSE 3"x12"  
**1103506**  
POLISHED BULLNOSE 3"x12"

symphony  
red




**1103591**  
RECTIFIED POLISHED 3"x12"


**1103465**  
RECTIFIED MATTE 12"x24"  
**1103471**  
RECTIFIED POLISHED 12"x24"  
**1103424**  
RECTIFIED MATTE 24"x48"  
**1103431**  
RECTIFIED POLISHED 24"x48"  
**1105165**  
RECTIFIED MATTE 48"x48"  
**1105171**  
RECTIFIED POLISHED 48"x48"

**1103478**  
MATTE MOSAIC HEX 2"  
**1103484**  
POLISHED MOSAIC HEX 2"  
**1103490**  
MATTE MOSAIC 12"x12"  
**1103496**  
POLISHED MOSAIC 12"x12"  
**1103502**  
MATTE BULLNOSE 3"x12"  
**1103508**  
POLISHED BULLNOSE 3"x12"





**adagio  
white**



✂ 6 MM

**1103374**  
RECTIFIED MATTE 48"x110"  
**1103380**  
RECTIFIED POLISHED 48"x110"

✂ PRE-FAB 12 MM

**1105112**  
RECTIFIED MATTE 32"x96"  
**1105198**  
RECTIFIED MATTE SHARKNOSE 32"x96"

**forte  
white**



✂ 6 MM

**1103377**  
RECTIFIED MATTE 48"x110"  
**1103383**  
RECTIFIED POLISHED 48"x110"

BOOKMATCH




✂ 6 MM

**1103391**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH A  
**1103392**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH B



**capriccio  
grey**



BOOKMATCH



✂ 6 MM

**1103373**  
RECTIFIED MATTE 48"x110"  
**1103379**  
RECTIFIED POLISHED 48"x110"

✂ 6 MM

**1103385**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH A  
**1103386**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH B

**aria  
gold**



BOOKMATCH



✂ 6 MM

**1103375**  
RECTIFIED MATTE 48"x110"  
**1103381**  
RECTIFIED POLISHED 48"x110"

✂ PRE-FAB 12 MM

**1105113**  
RECTIFIED MATTE 32"x96"  
**1105199**  
RECTIFIED MATTE SHARKNOSE 32"x96"  
**1105205**  
RECTIFIED POLISHED 32"x96"  
**1105206**  
RECTIFIED POLISHED SHARKNOSE 32"x96"

✂ 6 MM

**1103393**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH A  
**1103394**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH B



crescendo  
blue



BOOKMATCH



✂ 6 MM

**1103376**  
RECTIFIED MATTE 48"x110"  
**1103382**  
RECTIFIED POLISHED 48"x110"

✂ 6 MM

**1103387**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH A  
**1103388**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH B

symphony  
red



BOOKMATCH



✂ 6 MM

**1103378**  
RECTIFIED MATTE 48"x110"  
**1103384**  
RECTIFIED POLISHED 48"x110"

✂ 6 MM

**1103389**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH A  
**1103390**  
RECTIFIED POLISHED 48"x110"  
BOOKMATCH B





COUNTERTOP: JEM\_PRE-FAB 32"x96"\_ADAGIO WHITE\_MATTE

FLOOR: JEM\_ 48"x48"\_ADAGIO WHITE\_POLISHED









**ACCENT:** JEM\_48"x110" BOOKMATCH\_FORTE WHITE\_POLISHED

**FLOOR:** JEM\_48"x110" \_FORTE WHITE\_POLISHED





**WALL:** JEM\_48"x110" BOOKMATCH\_FORTE WHITE\_POLISHED

**FLOOR:** JEM\_2"x2" MOSAIC\_FORTE WHITE\_MATTE





**WALL:** JEM\_3"x12" \_CAPRICCIO GREY\_POLISHED



**WALL:** JEM\_48"x110" \_CAPRICCIO GREY\_MATTE

**FLOOR:** JEM\_48"x48" \_CAPRICCIO GREY\_MATTE





WALL: JEM\_48"x110" BOOKMATCH\_CAPRICCIO GREY\_POLISHED

ACCENT: JEM\_48"x110" \_CAPRICCIO GREY\_MATTE

FLOOR: JEM\_48"x48" \_CAPRICCIO GREY\_POLISHED





**WALL:** JEM\_48"x110" BOOKMATCH\_ARIA GOLD\_POLISHED

**FLOOR:** JEM\_48"x48" \_ARIA GOLD\_POLISHED





WALL: JEM\_48"x110"\_ARIA GOLD\_MATTE



FLOOR: JEM\_48"x48"\_ARIA GOLD\_MATTE





**WALL:** JEM\_48"x110" BOOKMATCH\_CRESCENDO BLUE \_POLISHED

**FLOOR:** JEM\_24"x48" \_CRESCENDO BLUE\_MATTE - JEM\_HEXAGON MOSAIC 2" \_CRESCENDO BLUE\_MATTE





**SHOWER WALL:** JEM\_3"x12"\_CRESCENDO BLUE\_POLISHED

**SHOWER FLOOR:** JEM\_HEXAGON MOSAIC 2"\_CRESCENDO BLUE\_MATTE

**WALL:** JEM\_48"x110" BOOKMATCH\_CRESCENDO BLUE\_POLISHED

**FLOOR:** JEM\_48"x48"\_CRESCENDO BLUE\_MATTE









**WALL:** JEM\_48"x110" BOOKMATCH\_SYMPHONY RED\_POLISHED

**FLOOR:** JEM\_48"x48" \_SYMPHONY RED\_MATTE



**BACKSPLASH:** JEM\_48"x110" BOOKMATCH\_SYMPHONY RED\_POLISHED







Colors + Sizes

RECTIFIED COLOR BODY



Colors	48"x110" 6 mm	Pre-Fab 32"x96" 12mm	3"x12"	12"x24"	24"x48"	48"x48"	HEX 2" mosaic	12"x12" mosaic (2"x2")	3"x12" bullnose
ADAGIO WHITE	1104412 Matte	1105112 Matte	1103587 Polished	1103461 Matte	1103420 Matte	1105161 Matte	1103474 Matte	1103486 Matte	1103498 Matte
	1104419 Polished	1105198 Matte Sharknose		1103467 Polished	1103427 Polished	1105167 Polished	1103480 Polished	1103492 Polished	1103504 Polished
FORTE WHITE	1104415 Matte	-	1103590 Polished	1103464 Matte	1103423 Matte	1105164 Matte	1103477 Matte	1103489 Matte	1103501 Matte
	1104422 Polished			1103470 Polished	1103430 Polished	1105170 Polished	1103483 Polished	1103495 Polished	1103507 Polished
	Polished 1104488 BOOKMATCH A Polished 1104489 BOOKMATCH B								
CAPRICCIO GREY	1104411 Matte	-	1103586 Polished	1103460 Matte	1103419 Matte	1105160 Matte	1103473 Matte	1103485 Matte	1103497 Matte
	1104417 Polished			1103466 Polished	1103426 Polished	1105166 Polished	1103479 Polished	1103491 Polished	1103503 Polished
	Polished 1104481 BOOKMATCH A Polished 1104482 BOOKMATCH B								
ARIA GOLD	1104413 Matte	1105113 Matte	1103588 Polished	1103462 Matte	1103421 Matte	1105162 Matte	1103475 Matte	1103487 Matte	1103499 Matte
	1104420 Polished	1105199 Matte Sharknose		1103468 Polished	1103428 Polished	1105168 Polished	1103481 Polished	1103493 Polished	1103505 Polished
	Polished 1104490 BOOKMATCH A Polished 1104491 BOOKMATCH B	1105205 Polished 1105206 Polished Sharknose							
CRESCENDO BLUE	1104414 Matte	-	1103589 Polished	1103463 Matte	1103422 Matte	1105163 Matte	1103476 Matte	1103488 Matte	1103500 Matte
	1104421 Polished			1103469 Polished	1103429 Polished	1105169 Polished	1103482 Polished	1103494 Polished	1103506 Polished
	Polished 1104483 BOOKMATCH A Polished 1104484 BOOKMATCH B								
SYMPHONY RED	1104416 Matte	-	1103591 Polished	1103465 Matte	1103424 Matte	1105165 Matte	1103478 Matte	1103490 Matte	1103502 Matte
	1104423 Polished			1103471 Polished	1103431 Polished	1105171 Polished	1103484 Polished	1103496 Polished	1103508 Polished
	Polished 1104485 BOOKMATCH A Polished 1104487 BOOKMATCH B								

Technical Specifications















This product meets or exceeds all standards described in ANSI A137.1 & A137.3.  
Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET	
			OUTDOOR >0.55 WET	>0.55 WET 2CM & GRIP	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in ( ±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in	
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.



Green Memberships & Accreditations

DESCRIPTION	
 <b>Declare.</b>	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
	The Health Product Declaration Collaborative transparency declaration for all of Vendor's naturally occurring materials.
	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
	Underwriter's Laboratories certification of low emitting materials. Vendor is Green Guard Gold certified.
	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
	Sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
	USGBC is committed to suit a more sustainable life. Vendor supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA sources >95% raw material within a 500 mile radius, which results in a smaller carbon footprint.
	Vendor actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Vendor the Tennessee Recycler of the Year award for 2020.
	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Vendor products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Vendor complies with environmental regulations and that its manufacturing practices are environmentally conscious.
	Vendor updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, Vendor spreads awareness to the community and encourages the use of buildingsolutions through environmentally friendly practices. Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

Vendor is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.





MADE IN THE USA

