



**TESSERAE**

— EST 1967 —  
**FACINGS**  
—  
OF AMERICA

# TESSERAE

Tesserae is a dialogue between past and future.  
A classic revolution.

Inspired in the nineteenth century by the hand made cement tiles full of character and recalling the mastery of the mosaic artisans, who composed their designs one piece at the time.

Initially as floors that became pieces of Art, which once upon a time used to be individually stamped, dated and signed.

Some of the original mosaics, such as Nolla Valencian ones, still survive in many homes at the Spanish Levante area.

Matt surfaces avoiding the light reflection and enhancing the endless mosaic patterns at the same time.

They can be used for indoor and outdoor flooring, bathrooms, kitchens, back splashes & patios.

Can you choose?

-

Tesserae es un diálogo entre pasado y futuro.  
Una revolución clásica.

Inspirada en el siglo XIX por las teselas de cemento hechas a mano. Piezas únicas de marcado carácter, reclamo de la prominencia de los artesanos del mosaico, que componían sus diseños pieza a pieza.

Inicialmente eran pavimentos que se convertían en piezas de arte, solían mostrar de forma individual su propia marca, fecha y firma.

Algunos de los mosaicos originales, como los de Nolla de Valencia, todavía sobreviven en muchos hogares del Levante español.

Superficies matificadas que evitan el reflejo de la luz, ensalzando a la vez los infinitos diseños de mosaicos posibles.

Se utilizan como pavimentos interiores así como exteriores, baños, cocinas, salpicaderos y patios.

Puedes elegir?

<b>01.</b> <b>SIZES, COLOURS AND FINISHES /</b> <b>FORMATOS, COLORES Y ACABADOS</b>	pag. 4
<b>02.</b> <b>GET INSPIRED /</b> <b>INSPIRATE</b>	pag. 14
<b>03.</b> <b>TECHNICAL FEATURES /</b> <b>CARACTERÍSTICAS TÉCNICAS</b>	pag. 54
<b>04.</b> <b>RECOMMENDATIONS /</b> <b>RECOMENDACIONES</b>	pag. 57
<b>05.</b> <b>TECHNICAL DRAWINGS /</b> <b>DIBUJOS TÉCNICOS</b>	pag. 58
<b>06.</b> <b>PACKING</b>	pag. 59
<b>07.</b> <b>PRICE CODE /</b> <b>CÓDIGO DE TARIFA</b>	pag. 59




**PLAY**  
28x28 cm / 11"x11"

 Porcelain tiles  
Porcelánico



**Play Blanc**  
W20



**Play Board Duna**  
W20




**Play Board Mar**  
W20

*Each model has different colour shades randomly mixed within the box.*  
Cada referencia tiene variaciones de tono que se encajan aleatoriamente.




**PLAY**  
28x28 cm / 11"x11"


 Porcelain tiles  
Porcelánico




**Play One Duna**  
W20




**Play Two Duna**  
W20




**Play All Duna**  
W20



**Play One Mar**  
W20



**Play Two Mar**  
W20




**Play All Mar**  
W20


*Each model has different colour shades randomly mixed within the box.*  
Cada referencia tiene variaciones de tono que se encajan aleatoriamente.

**PLAY**  
28x28 cm / 11"x11"


 Porcelain tiles  
Porcelánico



**Play One Frutti**  
W20



**Play Two Frutti**  
W20



**Play All Frutti**  
W20

*Each model has different colour shades randomly mixed within the box.*  
Cada referencia tiene variaciones de tono que se encajan aleatoriamente.



Play One Mar 33%  
Play Two Mar 33%  
Play All Mar 33%

**LIKE**  
28x28 cm / 11"x11"

 Porcelain tiles  
Porcelánico



**Like Blanc**  
W20



**Like Grana**  
W20



**Like Grana Plus**  
W20



**Like B&W**  
W20



**Like Marino**  
W20



**Like Marino Plus**  
W20

*Each model has different colour shades randomly mixed within the box.  
Cada referencia tiene variaciones de tono que se encajan aleatoriamente.*




**SUIT**  
28x28 cm / 11"x11"


 Porcelain tiles  
Porcelánico



**Suit Blanc**  
W20




**Suit B&W**  
W20




**Suit B&W Plus**  
W20

**SUIT**  
28x28 cm / 11"x11"


 Porcelain tiles  
Porcelánico




**Suit Marino**  
W20



**Suit Moss**  
W20



**Suit Ona**  
W20



**Suit Grana**  
W20

*Each model has different colour shades randomly mixed within the box.  
Cada referencia tiene variaciones de tono que se encajan aleatoriamente.*



Play One Mar 33%  
Play Two Mar 33%  
Play All Mar 33%


Like Marino Plus ▶  
Like Marino  
Like Blanc





Play Board Duna

◀ Like Blanc  
Like Grana Plus




Like B&W



Suit Ona



◀ Wall Tile: **Fayenza Greige**  
Floor Tile:  
**Play One Duna**  
**Play Two Duna**  
**Play All Duna**  
**Play Blanc**



Play Blanc  
Play All Frutti 50%  
Play One Frutti 25%  
Play Two Frutti 25%

◀ Wall Tile: **Texture Dove**  
Floor Tile: **Like Grana Plus**



Like B&W & Suit B&W Plus

Suit B&W & Suit B&W Plus ▶






Suit Grana ▶  
Suit Blanc

Suit Grana  
Suit Blanc




Wall Tile: **Fayenza**, **Fayenza Square** & **Fayenza Rounded Edge Mineral Grey**  
Floor Tile: **Play Board Mar**



Wall Tile: **Texture Dove 33,3%** ▶  
**Texture Pattern Mix Dove 66,6%**  
Floor Tiles: **Suit Marino**



*Suit Marino*



*Like Marino Plus*



◀ Wall Tile:  
**Stripes Cotto**  
Floor Tile:  
**Play One Frutti**  
**Play Two Frutti**  
**Play All Frutti**



Play All Mar 50%  
Play Blanc 25%  
Play One Mar 25%

◀ Like Blanc  
Like Marino Plus



Suit Blanc & Suit Moss

◀ Like Marino Plus

Play Board Duna ▶  
Play One Duna  
Play Two Duna  
Play All Duna  
Play Blanc





Suit Grana

Like Blanc ▶  
Like Grana  
Like Grana Plus





Wall Tile: **Play All Mar**  
Floor Tile: **Play All Mar 33% , Play One Mar 33% & Play Two Mar 33%**



Play Board Mar  
Contempo Strip Oak ( Love Affairs Collection)






Wall Tile: **Fayenza**, **Fayenza Square** & **Fayenza Rounded Edge Mineral Grey**  
Floor Tile: **Play Board Mar**

Wall Tile: **Texture Dove 33,3%** ▶  
**Texture Pattern Mix Dove 66,6%**  
Floor Tiles: **Suit Marino**





Wall Tile: **Fayenza Square Royal Green**  
Floor Tile: **Suit Moss & Suit White**




**Suit B&W Plus**

RECOMMENDATIONS / RECOMENDACIONES  
TECHNICAL FEATURES / INFORMACIÓN TÉCNICA  
TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS  
PACKING  
PRICE CODE / CÓDIGO DE TARIFA

**The grooves of the piece may have small visible pores that favor the perfect fixation of the grout material and will be completely hidden once the correct installation is done.**













**Las hendiduras de la pieza pueden presentar pequeños poros visibles que favorecen la perfecta fijación del material de rejunte y quedarán totalmente ocultos una vez hecha la correcta instalación.**



**INSTALLATION GUIDE  
GUÍA DE INSTALACIÓN**



**Porcelain tiles with water absorption B la ≤ 0,5% for interior and exterior floors and walls.**  
**Baldosas cerámicas prensadas en seco con absorción de agua B la ≤ 0,5% para suelos y paredes interiores y exteriores.**

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
 Dimensional Features	280 mm +/- 0,6% x 280 mm +/- 0,6% x 8,5 mm +/- 5 %	UNE-EN ISO 10545-2:1998
 Water absorption	Eb ≤ 0,5%	UNE-EN ISO 10545-3:1997
 Modulus of rupture and breaking strength	Minimum 35 N/mm2 Individual Minimum 32 N/mm2	UNE-EN ISO 10545-4:2012
 Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
 Household products resistance	GA	UNE-EN ISO 10545-13:1998
 Chemical resistance	GHA	UNE-EN ISO 10545-13:1998
 Stain resistance	Class 5	UNE-EN ISO 10545-14:1998
 Abrasive resistance	PEI 4: Blanc, Grana & Marino PEI 3: Grana Plus, Marino Plus, Like B&W, Suit B&W & Suit B&W Plus	UNE-EN ISO 10545-7:1999
 Non-slip value	R10 / CLASS 2 DCOF >0,42	DIN 51130:2014 ANSI A137.1:2012
 Frost resistance	Pass	UNE-EN ISO 10545-11:1997
 Porcelain Tiles	-	-
 Tone Variation	V3	-

**WAREHOUSING**

In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

**TILE FIXING**

To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

Due to the nature of the material there may be dimensional variations between pieces. Therefore, all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems. For an optimal result we advise to use 1,5 mm (0.06") spacers.

**GROUTING**

The choice of quality grouting mortar is crucial.

We recommend:

- Kerakoll Fugabella® Color nº5 ([www.kerakoll.com](http://www.kerakoll.com))
- Litokol StyleGrout White 2 ([www.litokol.it](http://www.litokol.it))
- Mapei Ultracolor Plus nº 103 ([www.mapei.com](http://www.mapei.com))

**MAINTENANCE AND CLEANING**

Once the material has been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water. The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes.

As a general guideline, powder detergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.

**ALMACENAMIENTO**

Paraguarantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

**COLOCACIÓN**

Paraguarantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Debido a la naturaleza del material pueden existir diferencias dimensionales entre piezas. Por ello deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías. Para un resultado óptimo es necesario usar 1,5 mm de junta.

**REJUNTADO**

Es importante la elección de un material de rejunte de calidad. WOW recomienda utilizar:

- Kerakoll Fugabella® Color nº5 ([www.kerakoll.com](http://www.kerakoll.com))
- Litokol StyleGrout White 2 ([www.litokol.it](http://www.litokol.it))
- Mapei Ultracolor Plus nº 103 ([www.mapei.com](http://www.mapei.com))

**MANTENIMIENTO Y LIMPIEZA**


Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.




**INSTALLATION GUIDE**  
**GUÍA DE INSTALACIÓN**


**PLAY**



**LIKE**



**SUIT**



			LB	FT2		FT2
Model	Format (in)	Piezas / Box	Lb/ box	sq ft / Box	Boxes / Pallet	sq ft / Pallet
PLAY	11"x11"	10	31.768	8.439	64	540.09
LIKE	11"x11"	10	31.768	8.439	64	540.09
SUIT	11"x11"	10	32.959	8.439	64	540.09

			KG	M2		M2
Modelo	Formato (cm)	Piezas / Caja	Kg / Caja	m2 / Caja	Cajas / Palet	m2 / Palet
PLAY	28x28	10	14,41	0,784	64	50,176
LIKE	28x28	10	14,41	0,784	64	50,176
SUIT	28x28	10	14,95	0,784	64	50,176

07. PRICE CODE / CÓDIGO DE TARIFA

**W20**