



— EST 1967 —

FACINGS

— OF AMERICA —

TWIN PEAKS

TWIN PEAKS

**Design dialogue between volumes and chromatic elections as a
common thread, with a contemporary and cosmopolitan feel.**

There are no longer any constraints to the customer's imagination.

**This is the beginning of a story made of stunning and
extraordinary unique spaces.**

Where well being joins design.

-


**Diálogo de diseño entre volúmenes y elecciones cromáticas como
hilo conductor, con un toque contemporáneo y cosmopolita.**

Ya no hay restricciones para la imaginación.

**Este es el principio de una historia compuesta por espacios
extraordinariamente únicos.**

Donde el bienestar se une con el diseño.


01. SIZES, COLOURS AND FINISHES / FORMATOS, COLORES Y ACABADOS	pag. 4
02. GET INSPIRED / INSPIRATE	pag. 6
03. LAYOUTS / COLOCACIONES	pag. 26
04. TECHNICAL FEATURES / CARACTERÍSTICAS TÉCNICAS	pag. 32
05. PACKING	pag. 33
06. PRICE CODE CÓDIGO DE TARIFA	pag. 33
07. TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS	pag. 34
08. RECOMMENDATIONS / RECOMENDACIONES	pag. 35



TWIN PEAKS



LISO XL7,5X30 cm / 3"x12



Snow



Dove



Grey



Nero



Celadon Green



Cotto



Sky



Aegean Blue

TP LOW7,5X30 cm / 3"x12"



Snow



Dove



Grey



Nero



Celadon Green



Cotto



Sky



Aegean Blue

TP MED7,5X30 cm / 3"x12"



Snow



Dove



Grey



Nero



Celadon Green



Cotto



Sky



Aegean Blue

TP UP7,5X30 cm / 3"x12"



Snow



Dove



Grey



Nero



Celadon Green



Cotto



Sky



Aegean Blue

TP EDGE XL 0,8X30 cm / 0.3"x12"



All colours




TP Up Aegean Blue
TP Med Aegean Blue

TP Up Snow
TP Med Snow
TP Low Grey

Floor Tiles: **Contempo Strip Oak** (Love Affairs Collection)





◀ **TP Up Cotto**
TP Med Cotto
Liso XL Snow

Floor Tiles: **Suit** Grana (Tesserae Collection)




TP Low Snow & Sky

Floor Tiles: **Lines M Chalk** (Raster collection)

TP Up Sky
TP Med Sky
TP Low Sky
Liso XL Sky

Floor Tiles: **Color Drops Off White** (Drops collection)





- ◀ **TP Up Aegean Blue**
- TP Low Aegean Blue**
- Liso XL Aegean Blue**


Floor Tiles: **Color Drops Off White** (Drops collection)




TP Up Dove
TP Med Dove
Liso XL Dove

TP Up Nero ▶
TP Low Nero

Floor Tiles: **Contempo Strip Oak** (Love Affairs collection)







TP Up Grey
Liso XL Grey

TP Up Nero ►
TP Med Nero





◀ TP Up Dove
TP Low Dove
Liso XL Dove & Nero
TP Edge XL Nero




TP Low Cotto
Liso XL Cotto & Snow

Floor Tiles: **Concrete Strip Ash Grey** (Love Affairs collection)

Liso XL Celadon Green ▶
TP Up Celadon Green
TP Med Celadon Green
TP Low Celadon Green





TP Med Grey
TP Low Grey
Liso XL Snow




Floor Tiles: **Solid XL Chalk** (Solid collection)


RECOMMENDATIONS
All Twin Peak pieces have a side glazed, allowing to combine in the same installation the four different height reliefs LISO XL, LOW, MED and UP .

Capture the following QR code to watch the installation tips:


RECOMENDACIONES
Todas las piezas de Twin Peaks tienen uno de los lado esmaltado, lo que permite combinar en una misma pared los diferentes relieves: LISO XL, LOW, MED y UP.

Captura el siguiente QR para ver los consejos de instalación:







TP Low & TP Up Snow




TP Liso XL, TP Low & TP Up Dove




TP Low & TP Up Cotto




TP Liso XL & TP Up Celadon Green




TP Low & TP Med Grey




TP Low & TP Med Nero




TP Liso XL & TP Up Sky




TP Low & TP Up Aegean Blue




TP Liso XL & TP Up Snow




TP Liso XL, TP Med & TP Up Dove




TP Liso XL & TP Low Cotto




TP Low & TP Up Celadon Green



TP Low & TP Up Grey



TP Liso XL & TP Up Nero



TP Low & TP Up Sky



TP Liso XL & TP Med Aegean Blue


Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%) Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)			
FEATURES / CARACTERÍSTICAS		SPECIFICATION / ESPECIFICACIÓN	NORMA
	Dimensional Features	74,5 mm +/- 0,75 mm % x 299,5 mm +/- 0,5 %	UNE-EN ISO 10545-2:1998
	Water absorption	>10%	UNE-EN ISO 10545-3:1997
	Modulus of rupture and breaking strength	Thickness ≥ 7,5 mm mínimo 12 N/mm2 Thickness < 7,5 mm mínimo 15 N/mm2	UNE-EN ISO 10545-4:2012
	Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
	Household products resistance	GA	UNE-EN ISO 10545-13:1998
	Chemical resistance	GHA	UNE-EN ISO 10545-13:1998
	Stain resistance	5	UNE-EN ISO 10545-14:1998
	White Body	-	

			KG 	M2 		M2 
Modelo	Formato (cm)	Piezas / Caja	Kg / Caja	m2 / Caja	Cajas / Palet	m2 / Palet
LISO XL	7,5x30 cm	23	7,519 kg	0,511 m2	132	67,452 m2
TP LOW TP	7,5x30 cm	22	7,000 kg	0,488 m2	132	64,416 m2
MED TP UP	7,5x30 cm	19	6,230 kg	0,422 m2	132	55,704 m2
TP EDGE XL	7,5x30 cm	15	5,500 kg	0,333 m2	132	43,956 m2
	0,8x30	10	3,094 kg	3,00 m	230	690 m

			LB 	FT2 		FT2 
Model	Format (in)	Pieces / Box	Lb/ box	sq ft / Box	Boxes / Pallet	sq ft / Pallet
LISO XL	3"x12"	23	16.577 lb	5.500 ft2	132	726 ft2
TP LOW TP	3"x12"	22	15.432 lb	5.256 ft2	132	693.792 ft2
MED TP UP	3"x12"	19	13.735 lb	4.542 ft2	132	599.544 ft2
TP EDGE XL	3"x12"	15	12.125 lb	3.584 ft2	132	473.088 ft2
	0.3"x12"	10	0.869 lb	9.843 ft	230	2,263.89 ft

Price code - Código de tarifa

MODEL / MODELO	PRICE CODE / CODIGO TARIFA
LISO XL TP	W14
LOW TP	W21
MED TP UP	W21
TP EDGE XL	W21
	WS3



BEFORE INSTALLING THE PRODUCT
The surface where the product is being installed must be clean and level.
It is recommended that the layout of the product is prepared before the final installation.
Make sure you choose an adhesive apt for the area where the product is being installed.
For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

The choice of quality grouting mortar is crucial.
We recommend Kerakoll Fugabella® Color.
(www.kerakoll.com)

TO ENHANCE YOUR WOW PRODUCT
In order to obtain the maximum WOW effect, use 1 mm - 0.039 in spacers between the tiles to maintain an even installation over the whole surface.
The colour of the grout should be as close as possible to the colour of your product.
Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

MAINTENANCE
Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.
Avoid abrasive or acidic cleaning products.
It is recommended to clean with clear water.

RECOMMENDATIONS
All Twin Peak pieces have a side glazed, allowing to combine in the same installation the four different height reliefs LISO XL, LOW, MED and UP .

Capture the QR code (page 26) to watch the installation tips:

ANTES DE LA COLOCACIÓN
Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada.
Se recomienda plantear la colocación, previo a su instalación. Elegir el material de agarre en función de las características de la superficie.
Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: kerakoll serie H40® Eco.

Es importante la elección de un material de rejunte de calidad. WOW recomienda utilizar el material de rejunte Kerakoll fugabella® Color (www.kerakoll.com)

PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW
Se recomiendan separadores de 1 mm para colocar las piezas y conseguir de esta forma un aspecto WOW óptimo. También es aconsejable que el color de rejuntado sea similar al color del producto elegido.
Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

MANTENIMIENTO
Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos.
Se recomienda limpiar exclusivamente con agua limpia.

RECOMENDACIONES
Todas las piezas de Twin Peaks tienen uno de los lado esmaltado, lo que permite combinar en una misma pared los diferentes relieves: LISO XL, LOW, MED y UP.

Captura el QR (página 26) para ver los consejos de instalación:

